


IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Claim 1 (Currently Amended) A compound represented by the formula (I):



or a pharmaceutically acceptable salt thereof, wherein:

X is ~~nitrogen atom or~~ CH;

Y is oxygen atom or sulfur atom;

R¹ is one group or atom optionally selected from the following (1), (2), (3), (4), (5) and (6) :

(1) a five- or six-membered heteroaryl group having one to three hetero atom(s) selected from the group consisting of nitrogen atom, sulfur atom and oxygen atom in a ring; ~~said heteroaryl group may form a fused ring with phenyl group;~~ said heteroaryl group (1) being optionally fused to a phenyl ring;

(2) an aryl group;

(3) a straight-chain or branched lower alkyl group;

(4) a cycloalkyl group having 3 to 7 carbon atoms;


~~one of the carbon atoms constituting contained in~~ said group except for a carbon atom bonding to Y, ~~may be substituted with~~ being optionally replaced with an oxygen atom, NH, N-alkanoyl group or a carbonyloxy group said R¹ may have one to three groups, being the same or different, selected from α;

(5) a straight-chain or branched lower alkenyl group; and

(6) hydrogen atom;

R² is hydrogen atom or fluorine atom;

ring A is a monocyclic or bicyclic heteroaryl group represented by the formula (II) :



~~said heteroaryl group may have one substituent(s), being same or different, selected from a substituent group β ; said ring A optionally having one to three substituent groups selected from β ;~~

substituent group α is selected from the group consisting of:

- a lower alkyl group optionally substituted with one to three halogen atom(s);
- a cycloalkyl group having 3 to 7 carbons;
- a lower alkoxy group;
- a hydroxyl group;
- a hydroxyalkyl group;

said hydrogen atom of the hydroxyl group in said portion of the hydroxyalkyl group
~~may be being optionally~~ substituted with a lower alkyl group;

- an alkanoyl group;
- halogen atom;
- oxy group;
- a lower alkylsulfonyl group;
- a lower alkylsulfonylamino group;
- a mono- or di-lower alkylcarbamoyl group;
- a mono- or di-lower alkylcarbamoylalkyl group;
- a mono- or di-lower alkylsulfamoyl group;
- an amino group;
- a mono- or di-lower alkylamino group;
- cyano group; and

a five- or six-membered ~~heteroary~~ heteraryl group which may have one to three hetero atom(s) selected from the group consisting of nitrogen-atom, sulfur atom and oxygen-atom in a ring;

substituent group β is selected from the group consisting of:

- a lower alkyl group;
- a lower alkoxy group;
- a halogen atom;

a trifluoromethyl group;
a hydroxyalkyl group;
wherein the hydrogen atom of hydroxyl group in said hydroxyalkyl group may be substituted with a lower alkyl group;
an aminoalkyl group;
and wherein the amino group in said aminoalkyl group may be further substituted with a lower alkyl group;
an alkanoyl group;
carboxyl group;
an alkoxycarbonyl group; and
a cyano group.

Claim 2 (Original) A compound or a pharmaceutically acceptable salt thereof according to claim 1, wherein R¹ is a group which is optionally selected from the following (1), (2), (3) and (4):

(1) a five- or six-membered heteroaryl group having one to three hetero atom(s) selected from the group consisting of nitrogen atom, sulfur atom and oxygen atom in a ring; said heteroaryl group may form a fused ring with phenyl group;

(2) an aryl group;

(3) a straight-chain or branched lower alkyl group; and

(4) a cycloalkyl group having 3 to 7 carbon atoms;

one of the carbon atoms constituting said group except for a carbon atom bonding to Y, may be substituted with oxygen atom, NH, N-alkanoyl group or carbonyloxy group;

said R¹ may have one to three group(s), being same or different, selected from the above-mentioned substituent group α .

Claim 3 (Original) A compound or a pharmaceutically acceptable salt thereof according to claim 1, wherein R¹ is a group which is optionally selected from the following (1) and (2):


(1) a five- or six-membered heteroaryl group having one to three hetero atom(s) selected from the group consisting of nitrogen atom, sulfur atom and oxygen atom in a ring; said heteroaryl group may form a fused ring with phenyl group; and

(2) an aryl group;

said R¹ may have one to three group(s), being same or different, selected from the above-mentioned substituent group α .

Claim 4 (Previously Presented) A compound or a pharmaceutically acceptable salt thereof according to claim 3, wherein the ring A is selected from the group consisting of: thiazolo[5,4-b]pyridinyl, pyrazinyl, thiadiazolyl and pyrazolyl which may have one to three substituent(s), being same or different, selected from the substituent group β .

Claim 5 (Previously Presented) A compound or a pharmaceutically acceptable salt thereof according to claim 3, wherein the formula (I) is a formula (I-1):



wherein each symbol has the same meaning as above.

Claim 6 (Cancelled)

Claim 7 (Currently Amended) A compound or a pharmaceutically acceptable salt thereof according to claim 5, wherein Y is represents an oxygen atom.

Claim 8 (Currently Amended) A compound or a pharmaceutically acceptable salt thereof according to claim 6, wherein Y is represents a sulfur atom.

Claim 9 (Currently Amended) A compound or a pharmaceutically acceptable salt thereof according to claim 1, wherein the compound represented by the formula (I) is selected from the group consisting of;

[6-(4H-[1,2,4]triazol-3-ylsulfanyl)-quinazolin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,
[6-(4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl)-quinazolin-4-yl]-thiazol-2-yl-amine,
[6-(4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl)-quinazolin-4-yl]-pyrazin-2-yl-amine,
(6-phenoxyquinazolyn-4-yl)-pyrazin-2-yl-amine,
[6-(4H-[1,2,4]triazol-3-ylsulfanyl)-quinazolin-4-yl]-pyrazin-2-yl-amine,
[6-(4-methyl-4H-[1,2,4]triazole-3-ylsulfanyl)-quinazolin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,
(6-phenoxy-quinazolin-4-yl)-thiazolo[5,4-b]pyridin-2-yl-amine,
[6-(2-fluoro-phenoxy)-quinazolin-4-yl]thiazolo-[5,4-b]pyridin-2-yl-amine,
[6-(1-methyl-1H-imidazol-2-ylsulfanyl)-quinazolin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,
[6-(pyridin-2-ylsulfanyl)-quinazolin-4-yl]-thiazolo-[5,4-b]pyridin-2-yl-amine,
[6-(4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl)-quinazolin-4-yl]-(3-methyl-[1,2,4]thiadiazol-5-yl-amine,
[6-(pyrimidin-2-ylsulfanyl)-quinazolin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,
[6-(4-methyl-4H-[1,2,4]-triazol-3-ylsulfanyl)-quinazolin-4-yl]-thiazolo[5,4-b]-pyridin-2-yl-amine,
[6-(4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl)-quinazolin-4-yl]-thiazolo[4,5-b]pyrazin-2-yl-amine,
benzothiazol-2-yl-[6-(4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl)-quinazolin-4-yl]-amine,
[6-(3H-[1,2,3]triazol-4-ylsulfanyl)-quinazolin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,
(1-methyl-1H-pyrazol-3-yl)-[6-(4-methyl-4H-[1,2,4]-triazol-3-ylsulfanyl)-quinazolin-4-yl]-amine,
[6-(4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl)-quinazolin-4-yl]-pyrimidin-4-yl-amine,
(5-methyl-pyrazin-2-yl)-[6-(4-methyl-4H-[1,2,4]-triazol-3-ylsulfanyl)-quinazolin-4-yl]amine,
~~[6-(4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl)-quinazolin-4-yl]-pyrazin-2-yl-amine,~~
[6-(4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl)-quinazolin-4-yl]-pyrazin-2-yl-amine,
(5-chloro-thiazol-2-yl)-[6-(4-methyl-4H-[1,2,4]-triazol-3-ylsulfanyl)-quinazolin-4-yl]-amine,
[6-(2-fluoro-1-fluoromethyl-ethoxy)-quinazolin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,
(6-isopropoxy-quinazolin-4-yl)-pyrazin-2-yl-amine,
(6-isopropoxy-quinazolin-4-yl)-thiazolo[5,4-b]pyridin-2-yl-amine,
[6-(2-hydroxy-(1S)-methyl-ethoxy-quinazolin-4-yl)]-thiazolo[5,4-b]pyridin-2-yl-amine,
(6-cyclopentyloxy-quinazolin-4-yl)-thiazolo[5,4-b]-pyridin-2-yl-amine,
[6-(2-fluoro-1-fluoromethyl-ethoxy)-quinazolin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine,
[6-(2-fluoro-1-fluoromethyl-ethoxy)-quinazolin-4-yl]-isoxazol-3-yl-amine,
[6-(2-fluoro-1-fluoromethyl-ethoxy)-quinazolin-4-yl]-(5-fluoro-thiazolo-[5,4-b]pyridin-2-yl)-amine,

[6-(2-fluoro-1-fluoromethyl-ethoxy)-quinazolin-4-yl]-(5-methoxy-thiazolo[5,4-b]pyridin-2-yl)-amine,

~~[6-(4H-[1,2,4]triazol-3-ylsulfanyl)-pyrido[3,2-d]pyrimidin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,~~

~~(6-phenoxy-pyrido[3,2-d]pyrimidin-4-yl)-thiazol-2-yl-amine,~~

~~[6-(4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl)-pyrido[3,2-d]pyrimidin-4-yl]-thiazol-2-yl-amine,~~

~~[6-(4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl)-pyrido[3,2-d]pyrimidin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,~~

~~[6-(5-methyl-4H-[1,2,4]triazol-3-ylsulfanyl)-pyrido[3,2-d]pyrimidin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,~~

~~thiazolo[5,4-b]pyridin-2-yl-[6-(3H-[1,2,3]triazol-4-ylsulfanyl)-pyrido[3,2-d]pyrimidin-4-yl]-amine,~~

~~(6-methoxy-quinazolin-4-yl)-pyrazin-2-yl-amine,~~

~~(6-hydroxy-quinazolin-4-yl)-thiazolo[5,4-b]-pyridin-2-yl-amine,~~

~~[6-(1-methylpyrazol-3-ylsulfanyl)-thiazolo[5,4-b]-pyridin-2-ylpyrido[3,2-d]pyrimidin-4-yl-amine,~~

~~(6-ethylsulfanyl)-thiazolo[5,4-b]-pyridin-2-yl-pyrido[3,2-d]pyrimidin-4-yl-amine,~~

~~(5-methoxymethyl-1,2,4-triazol-3-ylsulfanyl)-thiazolo[5,4-b]pyridin-2-ylpyrido[3,2-d]pyrimidin-4-yl-amine,~~

~~(5-methylpyrazin-2-yl)-6-(1,2,4-triazol-3-ylsulfanyl)pyrido[3,2-d]pyrimidin-4-yl-amine,~~

~~6-(1-methylimidazol-2-ylsulfanyl)-(5-methylpyrazin-2-yl)pyrido[3,2-d]pyrimidin-4-yl-amine,~~

~~6-(imidazol-2-ylsulfanyl)-(5-methylpyrazin-2-yl)-pyrido[3,2-d]pyrimidin-4-yl-amine,~~

~~6-(1-ethylimidazol-2-yl-sulfanyl)-(5-methylpyrazin-2-yl)pyrido[3,2-d]pyrimidin-4-yl-amine,~~

~~(5-methylpyrazin-2-yl)-6-(1-methylpyrazol-3-ylsulfanyl)pyrido[3,2-d]pyrimidin-4-yl-amine,~~

~~6-(1,5-dimethylimidazol-2-ylsulfanyl)-(5-methylpyrazin-2-yl)-pyrido[3,2-d]pyrimidin-4-yl-amine,~~

~~6-(4-methylimidazol-2-ylsulfanyl)-(5-methylpyrazin-2-yl)pyrido[3,2-d]pyrimidin-4-yl-amine,~~

~~(5-methylpyridin-2-yl)-6-(1,2,4-triazol-3-ylsulfanyl)pyrido[3,2-d]pyrimidin-4-yl-amine,~~

~~(5-fluoropyridin-2-yl)-6-(1,2,4-triazol-3-ylsulfanyl)pyrido[3,2-d]pyrimidin-4-yl-amine,~~

~~6-(pyridin-2-ylsulfanyl)-pyrido[3,2-d]pyrimidin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,~~

~~[6-(1,3,4-thiadiazol-2-ylsulfanyl)-pyrido[3,2-d]pyrimidin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,~~

~~[6-(1-methyl-1H-tetrazol-5-ylsulfanyl)-pyrido[3,2-d]pyrimidin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,~~

~~[6-(4H-[1,2,4]triazol-3-ylsulfanyl)-pyrido[3,2-d]pyrimidin-4-yl]-3-methyl-[1,2,4]thiadiazol-5-yl-amine,~~

~~[6-(4H-[1,2,4]triazol-3-ylsulfanyl)-pyrido[3,2-d]pyrimidin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine,~~

~~[6-(3-fluoro-benzonitril-2-ylsulfanyl)-pyrido-[3,2-d]pyrimidin-4-yl]-3-methyl-[1,2,4]-thiadiazol-5-yl-amine,~~
~~[6-(3H-[1,2,3]triazol-4-ylsulfanyl)-pyrido[3,2-d]pyrimidin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine,~~
~~[6-(5-methyl-4H-[1,2,4]triazol-3-ylsulfanyl)-pyrido-[3,2-d]pyrimidin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine,~~
~~[6-(3-chloro-pyridin-2-ylsulfanyl)-pyrido[3,2-d]pyrimidin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine,~~
~~[6-(3-cyano-pyridin-2-ylsulfanyl)-pyrido[3,2-d]pyrimidin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine,~~
~~[6-(3-amido-pyridin-2-yl-sulfanyl)-pyrido[3,2-d]pyrimidin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine,~~
~~6-[(1H-benzimidazol-2-ylsulfanyl)-N-(1-methyl-1H-pyrazol-3-yl)pyrido[3,2-d]pyrimidin-4-yl-amine,~~
~~6-[(5-amino-4H-1,2,4-triazol-3-yl)sulfanyl]-N-(1-methyl-1H-pyrazol-3-yl)pyrido[3,2-d]pyrimidin-4-yl-amine,~~
N-pyrazin-2-yl-6-(4H-1,2,4-triazol-3-ylsulfanyl)-pyrido-[3,2-d]pyrimidin-4-yl-amine,
N-isoxazol-3-yl-6-(4H-1,2,4-triazol-3-ylsulfanyl)-pyrido[3,2-d]pyrimidin-4-yl-amine,
6-[[6-(4H-1,2,4-triazol-3-ylsulfanyl)pyrido[3,2-d]pyrimidin-4-yl]amino}nicotinonitrile,
(4-methyl-1,3-thiazol-2-yl)-6-(4-methyl-1,2,4-triazol-3-ylsulfanyl)-quinazolin-4-yl-amine,
(5-methyl-1,3-thiazol-2-yl)-6-(4-methyl-1,2,4-triazol-3-ylsulfanyl)-quinazolin-4-yl-amine,
6-(methylbenzoate-2-yl)sulfanyl-thiazolo[5,4-b]-pyridin-2-ylquinazolin-4-yl-amine,
6-(2-hydroxymethylphenylsulfanyl)-thiazolo[5,4-b]-pyridin-2-ylquinazolin-4-yl-amine,
6-(pyrazin-2-ylsulfanyl)-thiazolo[5,4-b]pyridin-2-ylquinazolin-4-yl-amine,
6-(3-fluoropyridin-2-ylsulfanyl)-thiazolo[5,4-b]-pyridin-2-ylquinazolin-4-yl-amine,
6-(benzoate-2-ylsulfanyl)-thiazolo[5,4-b]pyridin-2-ylquinazolin-4-yl-amine,
6-(3-chloropyridin-2-ylsulfanyl)-(1-methylpyrazol-3-yl)quinazolin-4-yl-amine,
[6-(2-dimethylamino-ethylsulfanyl)-quinazolin-4-yl]-thiazolo-[5,4-b]pyridin-2-yl-amine,
[6-(cyclopentylsulfanyl)-quinazolin-4-yl]-thiazolo-[5,4-b]pyridin-4-yl-amine,
[6-(2-fluorophenylsulfanyl)-quinazolin-4-yl]-thiazolo[5,4-b]-pyridin-2-yl-amine,
[6-(2-methoxyphenylsulfanyl)-quinazolin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,
[6-(3-chloropyridin-2-yloxy)-quinazolin-4-yl]-thiazolo[5,4-b]-pyridin-2-yl-amine,
[6-(3-cyanopyridin-2-yloxy)-quinazolin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,
[6-(3-carboxamidopyridin-2-yloxy)-quinzaolin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,
[6-(pyridin-2-yloxy)-quinazolin-4-yl]-thiazolo-[5,4-b]pyridin-2-yl-amine,
[6-(3-methylpyridin-2-yloxy)-quinzaolin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,
[6-(methylcarbamoyl-methyloxy)-quinazolin-4-yl]-thiazolo-[5,4-b]pyridin-2-yl-amine,

[6-(3-methylsulfonylpyridin-2-yloxy)-quinazolin-4-yl]-thiazolo[5,4-b]pyridin-2-yl-amine,
[6-(3-chloropyridin-2-yloxy)-quinazolin-4-yl]-3-methyl-[1,2,4]-thiadiazol-5-yl-amine,
[6-(3-fluoropyridin-2-yloxy)-quinazolin-4-yl]-3-methyl-[1,2,4]thiadiazol-5-yl-amine,
[6-(3-chloropyridin-2-yloxy)-quinazolin-4-yl]-pyridin-2-yl-amine,
[6-(tetrahydro-2H-pyran-4-yloxy)-quinazolin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine,
[6-(3,5-difluoropyridin-2-yloxy)-quinazolin-4-yl]-3-methyl-[1,2,4]thiadiazol-5-yl-amine,
[6-(2-chloro-6-(methylsulfonyl)phenoxy)-quinazolin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine,
[6-(2,4-difluorophenoxy)-quinazolin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine,
[6-(2-fluoro-6-(5-methyl-[1,2,4]-oxadiazol-3-yl)-phenoxy)-quinazolin-4-yl]-3-methyl-[1,2,4]-
thiadiazol-5-yl-amine,
[6-(2-fluoro-4-(methylsulfonyl)phenoxy)-quinazolin-4-yl]-3-methyl-[1,2,4]thiadiazol-5-yl-amine,
[6-(2-fluoro-6-(methylsulfonyl)phenoxy)-quinazolin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine,
[6-(2-fluoro-6-(methylsulfonyl)phenoxy)-quinazolin-4-yl]-(1-ethyl-1H-pyrazol-3-yl)-amine,
[6-(2-fluoro-6-(methylsulfonyl)-phenoxy)-quinazolin-4-yl]-pyrazin-2-yl-amine,
[6-(2-chloro-6-(methanesulfonylamino)phenoxy)-quinazolin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-
amine,
3-fluoro-2-({4-[(pyrazin-2-yl)amino]quinazolin-6-yl}oxy)benzonitrile,
[6-(butyllacton-2-yloxy)-quinazolin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine,
[6-(2,4-difluoro-6-(methylsulfonyl)phenoxy)-quinazolin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine,
[6-(2-fluoro-6-(methylsulfonyl)phenoxy)-quinazolin-4-yl]-thiazolo[5,4-b]-pyridin-2-yl-amine,
N-(1-methyl-1H-pyrazol-3-yl)-6-[2-(methylsulfonyl)-phenoxy]quinazolin-6-yl-amine,
3-fluoro-2-({4-[(5-methylpyrazin-2-yl)amino]-quinazolin-6-yl}oxy)benzonitrile,
6-(3-chloropyridin-2-ylsulfanyl)-(1-methylpyrazol-3-yl)quinazolin-4-yl-amine,
6-(3-chloropyridin-2-ylsulfanyl)-(5-methyl-pyrazin-2-yl)quinazolin-4-yl-amine,
6-(3-chloropyridin-2-ylsulfanyl)-(1H-pyrazol-3-yl)-quinazolin-4-yl-amine,
6-(acetylpiperidin-4-yl)oxy-N-[1,3]-thiazolo[5,4-d]-pyridin-2-ylquinazolin-4-yl-amine,
N-(1-methyl-1H-pyrazol-3-yl)-6-(pyrazin-2-yloxy)-quinazolin-4-yl-amine,
N-(1-methyl-1H-pyrazol-3-yl)-6-(pyrimidin-4-yloxy)-quinazolin-4-yl-amine,
6-[2-fluoro-1-(fluoromethyl)ethoxy]-N-[1,3]thiazol-[5,4-d]pyrimidin-2-ylquinazolin-4-yl-amine,
6-[(3-chloropyridin-2-yl)oxy]-N-1,3-thiazol-2-ylquinazolin-4-amine,
(1-methylpyrazol-3-yl)quinazolin-4-yl-amine,
6-(1,3-benzothiazol-2-yloxy)-N-(1-methyl-1H-pyrazol-3-yl)-quinazolin-4-yl-amine,
N-(1-methyl-1H-pyrazol-3-yl)-6-(quinazolin-2-yloxy)-quinazolin-4-yl-amine,

6-[(5-fluoropyridin-2-yl)oxy]-N-(1-methyl-1H-pyrazol-3-yl)quinazolin-4-yl-amine,
6-[(3-chloropyridin-2-yl)oxy]-N-(5-methyl-1H-pyrazol-3-yl)quinazolin-4-yl-amine,
N-(1-methyl-1H-pyrazol-3-yl)-6-(pyridin-3-yloxy)-quinazolin-4-yl-amine,
6-[(3-chloropyridin-2-yl)oxy]-N-4H-[1,2,4]-triazol-3-ylquinazolin-4-yl-amine,
6-[(5-fluoropyridin-3-yl)oxy]-N-(1-methyl-1H-pyrazol-3-yl)quinazolin-4-yl-amine,
6-[(3-chloropyridin-2-yl)oxy]-N-[1,2,4]-thiadiazol-5-ylquinazolin-4-yl-amine,
N-(1-methyl-1H-pyrazol-3-yl)-6-[(3-methylpyridin-2-yl)oxy]quinazolin-4-yl-amine,
6-{[3-(difluoromethyl)pyridin-2-yl]oxy}-N-(1-methyl-1H-pyrazol-3-yl)quinazolin-4-yl-amine,
N-(1-methyl-1H-pyrazol-3-yl)-6-{[3-(trifluoromethyl)-pyridin-2-yl]oxy}quinazolin-4-yl-amine,
[2-(4-[(1-methyl-1H-pyrazol-3-yl)amino]quinazolin-6-yl)oxy]pyridin-3-yl]methanol,
6-{[3-(fluoromethyl)-pyridin-2-yl]oxy}-N-(1-methyl-1H-pyrazol-3-yl)quinazolin-4-yl-amine,
1-[2-(4-[(1-methyl-1H-pyrazol-3-yl)amino]-quinazolin-6-yl)oxy]pyridin-3-yl]ethanone,
5-chloro-2-methyl-4-({4-[(1-methyl-1H-pyrazol-3-yl)-amino]quinazolin-6-yl}oxy)pyridazin-3(2H)-one,
6-[(6-fluoropyridin-2-yl)oxy]-N-(1-methyl-1H-pyrazol-3-yl)quinazolin-4-yl-amine,
[3-fluoro-2-(4-[(1-methyl-1H-pyrazol-3-yl)amino]-quinazolin-6-yl)oxy]phenyl]methanol,
6-[2-fluoro-6-(fluoromethyl)-phenoxy]-N-(1-methyl-1H-pyrazol-3-yl)quinazolin-4-yl-amine,
[3-chloro-4-(4-[(1-methyl-1H-pyrazol-3-yl)amino]-quinazolin-6-yl)oxy]phenyl]methanol,
Methyl 5-(methylsulfonyl)-2-(4-[(3-methyl-[1,2,4]-thiadiazol-5-yl)amino]-quinazolin-6-yl)oxy)benzoate,
3-fluoro-2-(4-[(1-pyridin-2-yl-1H-pyrazol-3-yl)-amino]quinazolin-6-yl)oxy)benzonitrile,
1-[3-fluoro-2-(4-[(1-methyl-1H-pyrazol-3-yl)amino]-quinazolin-6-yl)oxy]phenyl]ethanone,
6-[(3-chloropyridin-2-yl)oxy]-N-[1-(difluoromethyl)-1H-pyrazol-3-yl]quinazolin-4-yl-amine,
3-chloro-N,N-dimethyl-2-(4-[(3-methyl-[1,2,4]-thiadiazol-5-yl)amino]quinazolin-6-yl)oxy)benzenesulfon-amide,
6-[2-chloro-6-(ethylsulfonyl)phenoxy]-N-(3-methyl-1,2,4-thiadiazol-5-yl)quinazolin-4-yl-amine,
6-[2-fluoro-6-(methylsulfonyl)phenoxy]-N-(5-methylpyrazin-2-yl)-quinazolin-4-yl-amine,
6-[2-chloro-6-(cyclopropylsulfonyl)-phenoxy]-N-(1-methyl-1H-pyrazol-3-yl)quinazolin-4-yl-amine,
6-[2-fluoro-6-(methylsulfonyl)phenoxy]-N-1H-pyrazol-3-ylquinazolin-4-yl-amine,
6-[3-cyclopropylpyridin-2-yl]oxy]-N-(1-methyl-1H-pyrazol-3-yl)quinazolin-4-yl-amine,
[2-(4-[(1-methyl-1H-pyrazol-3-yl)amino]quinazolin-6-yl)oxy]-3-(trifluoromethyl)phenyl]methanol,
6-[2-fluoro-6-(methylsulfonyl)phenoxy]-N-pyridazin-3-ylquinazolin-4-yl-amine,
N-(5-chloropyrazin-2-yl)-6-[2-fluoro-6-(methylsulfonyl)-phenoxy]quinazolin-4-yl-amine,

[3,5-difluoro-4-({4-[(1-methyl-1H-pyrazol-3-yl)-amino]quinazolin-6-yl}oxy)phenyl]-methanol,
3-fluoro-2-({4-[(1-methyl-1H-pyrazol-5-yl)amino]-quinazolin-6-yl}oxy)benzonitrile,
6-[4-methyl-2-(methylsulfonyl)phenoxy]-N-(1-methyl-1H-pyrazol-3-yl)quinazolin-4-yl-amine,
6-(2,6-difluorophenoxy)-N-(1-methyl-pyrazol-3-yl)-quinazolin-4-yl-amine,
1-[3-methyl-2-([4-[(1-methyl-pyrazol-3-yl)amino]-quinazolin-6-yl]oxy)phenyl]ethanone,
6-[2-(fluoromethyl)-6-(methylsulfonyl)phenoxy]-N-(1-methyl-pyrazol-3-yl)quinazolin-4-yl-amine,
3-methyl-2-({4-[(1-methyl-pyrazol-3-yl)amino]-quinazolin-6-yl}oxy)benzonitrile,
Cyclopropyl[3-fluoro-2-([4-({1-methyl-pyrazol-3-yl}-amino)-quinazolin-6-yl]oxy)phenyl]methanone,
6-[2-fluoro-6-(methoxymethyl)phenoxy]-N-(1-methyl-pyrazol-3-yl)quinazolin-4-yl-amine,
[6-(5-chloro-3-fluoropyridin-2-yloxy)-quinazolin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine,
[6-(3-fluoropyridin-2-yloxy)-quinazolin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine,
6-[2-methyl-6-(methylsulfonyl)-phenoxy]-N-(1-methyl-pyrazol-3-yl)quinazolin-4-yl-amine,
6-[2-(fluoromethyl)-6-(methylsulfonyl)phenoxy]-N-(1H-pyrazol-3-yl)quinazolin-4-yl-amine [or] and
[6-(2-fluoro-6-(methanesulfonamide)phenoxy)-quinazolin-4-yl]-(1-methyl-1H-pyrazol-3-yl)-amine.

Claims 10-13 (Cancelled)

Claim 14 (Previously Presented) A pharmaceutical composition comprising a compound in accordance with claim 1 in combination with a pharmaceutically acceptable carrier.

Claim 15 (Previously Presented) A method of treating diabetes mellitus in a mammalian patient in need of such treatment comprising administering to the patient a compound in accordance with claim 1 in an amount that is effective to treat diabetes mellitus.

Claim 16 (Previously Presented) A method of treating or preventing obesity in a mammalian patient in need of such treatment comprising administering to the patient a compound in accordance with claim 1 in an amount that is effective to treat or prevent obesity.